



RXYSQ4-6PA7V(Y)1B

VRV[®]III-S Inverter Heat Pump



RXYSQ4-5-6PA7V(Y)1B

- High COP values
- Easy installation thanks to automatic refrigerant charging operation, automatic test operation
- Super wide range of indoor units
- Power consumption limit setting
- Small capacities - 4, 5 & 6HP
- Slim & flexible design
- Space saving outdoor unit

HEAT PUMP

Outdoor Unit				RXYSQ4PA7Y1B	RXYSQ5PA7Y1B	RXYSQ6PA7Y1B
Capacity range		HP	4	5	6	
Capacity	Cooling	kw	11.2	14.0	15.5	
	Heating	kw	12.5	16.0	18.0	
Dimensions	(Height x Width x Depth)		mm			
Weight			kg			
Sound Level	Sound Power	Cooling	dBA	66	67	69
		Heating	dBA	52	53	55
	Sound Pressure	Cooling	dBA	50	51	53
Heating		dBA	52	53	55	
Operation Range	Cooling	Min~Max	°CDB			
	Heating	Min~Max	°CWB			
Refrigerant	R-410A					
Power Supply	1N~/220-240V/50Hz					
Max n° of indoor units to be connected			6	8	9	
Piping connections	Liquid (OD)/Gas/Drain	mm	9.52 / 15.9 / 26 x 3			
Max total length			m			

HEAT PUMP

Outdoor Unit				RXYSQ4PA7Y1B	RXYSQ5PA7Y1B	RXYSQ6PA7Y1B
Capacity range		HP	4	5	6	
Capacity	Cooling	kw	11.2	14.0	15.5	
	Heating	kw	12.5	16.0	18.0	
Dimensions	(Height x Width x Depth)		mm			
Weight			kg			
Sound Level	Sound Power	Cooling	dBA	66	67	69
		Heating	dBA	52	53	55
	Sound Pressure	Cooling	dBA	50	51	53
Heating		dBA	52	53	55	
Operation Range	Cooling	Min~Max	°CDB			
	Heating	Min~Max	°CWB			
Refrigerant	R-410A					
Power Supply	3N~/380-415V/50Hz					
Max n° of indoor units to be connected			6	8	9	
Piping connections	Liquid (OD)/Gas/Drain	mm	9.52 / 15.9 / 26 x 3			
Max total length			m			